Introduction
 Method
 Lidar ratio
 Sensitivity

# Aerosol direct radiative effect (DRE)

- The change in radiative flux caused by the presence of aerosols (both natural and anthropogenic)
  - How aerosol affects the Earth's radiation balance in the present climate
  - Estimation of aerosol radiative forcing (i.e. anthropogenic aerosols)

(Bellouin et al. Nature 2005, Kaufman GRL 2005, Su et al. JGR 2013)

Introduction Method Lidar ratio Sensitivity

#### Satellite estimates of aerosol DRE

- Many estimates of the shortwave (SW) aerosol DRE have been made using passive remote sensors (Yu et al. ACP 2006 and references therein)
  - Longwave aerosol DRE is usually much smaller
  - Mostly MODIS-based


 Introduction
 Method
 Lidar ratio
 Sensitivity

#### Satellite estimates of aerosol DRE


- Many estimates of the shortwave (SW) aerosol DRE have been made using passive remote sensors (Yu et al. ACP 2006 and references therein)
  - Longwave aerosol DRE is usually much smaller
  - Mostly MODIS-based


- The global-mean SW aerosol DRE at the TOA is about  $-5.0 \ Wm^{-2}$ 
  - The presence of aerosols increases the amount of reflected SW by 5.0  $Wm^{-2}$











Introduction Method Lidar ratio Sensitivity

## **CALIPSO**



- Vertically-resolved aerosol properties over all surface types during both day and night
- Easier to separate cloud from aerosol in the same profile

 Introduction
 Method
 Lidar ratio
 Sensitivity

#### **CALIPSO**



 Vertically-resolved aerosol properties over all surface types during both day and night

• Easier to separate cloud from aerosol in the

- same profile
- Recent studies have made new estimates of the global-mean aerosol DRE using CALIPSO:

	Clear-sky ocean	All-sky global
Passive sensor-based	$-5.0 \ Wm^{-2}$	N/A
(Yu et al. <i>ACP</i> 2006) CALIPSO-based	$-3.21 \ Wm^{-2}$	$-0.61~Wm^{-2}$
(Oikawa et al. <i>JGR</i> 2013) CALIPSO-based	$-2.6 \ Wm^{-2}$	$-1.9 \ Wm^{-2}$
(Matus et al. JCLIM 2015)		

 Introduction
 Method
 Lidar ratio
 Sensitivity

#### **CALIPSO**



 Vertically-resolved aerosol properties over all surface types during both day and night

• Easier to separate cloud from aerosol in the

- same profileRecent studies have made new estimates of the
- Recent studies have made new estimates of the global-mean aerosol DRE using CALIPSO:

	Clear-sky ocean	All-sky global
Passive sensor-based	$-5.0 \ Wm^{-2}$	N/A
(Yu et al. ACP 2006)		
CALIPSO-based	$-3.21 \ Wm^{-2}$	$-0.61 \ Wm^{-2}$
(Oikawa et al. JGR 2013)		
CALIPSO-based	$-2.6 \ Wm^{-2}$	$-1.9 \ Wm^{-2}$
(Matus et al. JCLIM 2015)		

Why are CALIPSO-based estimates significantly smaller in magnitude than the passive sensor-based ones?

#### **CALIPSO**



## ARM Raman lidars (RL)



#### **CALIPSO**



#### ARM Raman lidars (RL)



1 Direct extinction measurements

(no critical assumptions)

ntroduction Method Lidar ratio Sensitivity

#### **CALIPSO**



- $\textbf{ Radiative flux} \rightarrow \text{aerosol extinction} \rightarrow \\ \text{assumed lidar ratio } \text{ (ratio of extinction-to-backscatter)}$
- Is all radiatively-significant aerosol detected? (Kacenelenbogen et al. 2014, Rogers et al. 2014, Thorsen et al. 2015)

#### ARM Raman lidars (RL)



- Direct extinction measurements (no critical assumptions)
- 2 Strong signals from aerosols (it's closer)

croduction Method Lidar ratio Sensitivity

## Methodology


- Collocate ( $\pm 200$  km,  $\pm 2$  hr) CALIPSO aerosol products (VFM, ALay) and ARM RL-FEX product over a 5 year period at SGP, 4 year period at TWP
- Calculate aerosol DRE using the NASA Langley Fu-Liou radiative transfer model:

$$DRE(TOA) = [F^{\downarrow}(TOA) - F^{\uparrow}(TOA)]_{\text{aerosol}} - [F^{\downarrow}(TOA) - F^{\uparrow}(TOA)]_{\text{no aerosol}}$$
$$DRE(SFC) = [F^{\downarrow}(SFC) - F^{\uparrow}(SFC)]_{\text{aerosol}} - [F^{\downarrow}(SFC) - F^{\uparrow}(SFC)]_{\text{no aerosol}}$$

- \*Modify RL retrievals to mimic CALIPSO to test the effect of
  - lidar ratio assumptions and
  - ② detection sensitivity
- \*Avoiding using the CALIPSO data directly because of wavelength difference between the lidars
  - About +10% bias in the aerosol DRE due to the lidar ratio


# Detection sensitivity

## Detection sensitivity



roduction Method Lidar ratio Sensitivity

# Detection sensitivity




Is this undetected aerosol radiatively-significant?

# Effect of detection sensitivity

 Method to force RL aerosol occurrence profile to match CALIPSO's by removing aerosol in each collocated overpass.

# Effect of detection sensitivity


- Method to force RL aerosol occurrence profile to match CALIPSO's by removing aerosol in each collocated overpass.
- "RL-RM": RL degraded to CALIPSO's sensitivity



troduction Method Lidar ratio Sensitivity

# Effect of detection sensitivity

- Method to force RL aerosol occurrence profile to match CALIPSO's by removing aerosol in each collocated overpass.
- "RL-RM": RL degraded to CALIPSO's sensitivity



CALIPSO's lack of sensitivity causes a significant reduction of 30–50% in the magnitude of the aerosol DRE


troduction Method Lidar ratio Sensitivity

# Global implications

- Aerosol that goes undetected is consistent with random noise considerations
  - CALIPSO's SNR is too low to detect all aerosol during both day and night.

#### Global implications

- Aerosol that goes undetected is consistent with random noise considerations
  - CALIPSO's SNR is too low to detect all aerosol during both day and night.
- Even for large aerosol optical depths, the bias remains significant




croduction Method Lidar ratio Sensitivity

#### Global implications

- Aerosol that goes undetected is consistent with random noise considerations
  - CALIPSO's SNR is too low to detect all aerosol during both day and night.
- Even for large aerosol optical depths, the bias remains significant
- The global mean ocean AOD as measured by CALIPSO is 0.09 (Winker et al., 2013)
- AOD= $0.09 \rightarrow -35\%$  to -50% aerosol DRE bias at the two ARM sites

	Clear-sky ocean
Passive sensor-based	$-5.0 \ Wm^{-2}$
(Yu et al. ACP 2006) CALIPSO-based	-3.21 Wm <sup>-2</sup> (-36%)
(Oikawa et al. <i>JGR</i> 2013) CALIPSO-based	-2.6 Wm <sup>-2</sup> (-48%)
(Matus et al. JCLIM 2015)	



troduction Method Lidar ratio Sensitivity

#### Conclusions

- The results presented here strongly suggest that newer estimates of the global aerosol DRE that rely solely on CALIPSO aerosol observations (Oikawa et al. *JGR* 2013); Matus et al. *JCLIM* 2015) are biased weak (i.e. too small in magnitude).
- This study demonstrates that our knowledge of the global aerosol DRE remains incomplete.
- While CALIPSO allows for more consistent global estimates of the aerosol DRE in all scene types, its detection sensitivity is likely not sufficient for detecting all radiatively-significant aerosol.
- Passive sensors outperform CALIPSO in observing thin AOD since CALIPSO is sensitive to the backscatter in a relatively small volume while passive sensors measure the vertically-integrated scattering.
- However, the limitation of accurate passive retrievals to cloud-free ocean as well as
  potential biases from cloud contamination makes fully and accurately assessing
  global aerosol DRE difficult.


#### We don't know the global aerosol DRE

CALIPSO-inferred aerosol direct radiative effects: Bias estimates using ground-based Raman lidars; TJ Thorsen, Q Fu; Journal of Geophysical Research, 2015.


roduction Method Lidar ratio Sensitivity

#### Effect of assumed lidar ratios

- CALIPSO's processing: Detect  $\rightarrow$  cloud/aerosol  $\rightarrow$  6 aerosol subtypes  $\rightarrow$  lidar ratio  $\rightarrow$  extinction  $\rightarrow$  flux
- The wavelength difference between CALIPSO (532 nm) and RL (355 nm) precludes a direct assessment of CALIPSO's lidar ratios. Instead the aerosol DRE is computed with
  - $\textbf{0} \ \mathsf{Directly} \ \mathsf{retrieved} \ \mathsf{RL} \ \mathsf{extinction}$
  - $oldsymbol{2}$  Lidar ratio fixed (climatology $\pm$ bias)
- If the selection of lidar ratio by CALIPSO can reproduce the climatological value at a particular location, then the aerosol DRE can be accurately calculated.





• Rogers et al. AMT (2014) found approximately a +20% bias in CALIPSO's lidar ratio which would correspond to about +10% bias in the aerosol DRE.




troduction Method Lidar ratio Sensitivity

# CALIPSO aerosol layer classifications







Sun photometer aerosol optical depth